

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20020136286"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:54
L2	99	reverse adj1 data adj1 transmi\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 10:02
L3	1	"20020136286" and probabilities	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:54
L4	5	(reverse adj1 data adj1 transmi\$5).clm.	US-PGPUB	OR	OFF	2005/11/04 10:01
L5	10	(reverse adj1 data adj1 transmi\$5) and ignore	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 10:03
L6	0	(reverse adj1 data adj1 transmi\$5) and (ignore\$1 adj1 reverse adj1 activity adj1 bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 10:04
S1	41	reverse adj1 activity adj1 bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/25 09:53
S2	1391	reverse adj1 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 09:46
S3	23	reverse adj1 data adj1 transmit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/25 09:53
S4	39	reverse adj1 activity adj1 bit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 11:51

S5	16	reverse adj1 activity adj1 bit and rate and change	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 11:56
S6	0	reverse adj1 activity adj1 bit and rate and change and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 11:55
S7	147955	samsung.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 11:56
S8	49	"samsung.as.and" ((reverse adj1 activity adj1 bit) or RAB)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 11:57
S9	29	"samsung.as.and" ((reverse adj1 activity adj1 bit) or RAB) and rate\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 11:57
S10	29	"samsung.as.and" ((reverse adj1 activity adj1 bit) or RAB) and rate\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 12:04
S11	1	"samsung.as.and" ((reverse adj1 activity adj1 bit) or RAB) and rate\$1 and @ay<= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 11:58
S12	0	"samsung.as.and" ((reverse adj1 activity adj1 bit) or RAB) and rate\$1 and @ay<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 11:58
S13	69	((reverse adj1 activity adj1 bit) or RAB) and rate\$1 and no adj1 change	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 12:05
S14	3	((reverse adj1 activity adj1 bit) or RAB) and rate\$1 with no adj1 change	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 12:11

S15	20	((reverse adj1 activity adj1 bit) or RAB) and predetermined adj2 rate\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/24 12:12
S17	1	"20020136286" and (ignore adj1 RAB)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 15:29
S18	1595	reverse adj1 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 15:29
S19	88	reverse adj1 data adj1 transmi\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 15:29
S20	59	(reverse adj1 data adj1 transmi\$5) and rate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 15:30
S21	8	(reverse adj1 data adj1 transmi\$5) and rate and RAB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 15:33
S22	1	ignore adj1 RAB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 15:33
S23	0	access adj1 probabili\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 15:34
S24	241	access adj1 probabili\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 15:34
S25	6	reverse with (access adj1 probabili\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 15:34